

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Salt Lake Field Office
2370 South 2300 West
Salt Lake City, Utah 84119

5/045/057
APR 27 2001

IN REPLY REFER TO:

3809
U-77772
(UT-023)

D. Wayne Hedberg
Utah Department of Natural Resources
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Mr. Hedberg:

Enclosed for your information is a copy of a Notice to conduct mining activities that we received on April 17, 2001. The proposal was submitted by Harvey Chatwin for mining activities in the Dugway Mountain area. We have assigned the Notice casefile serial number U-77772.

If you have any questions or require additional information, please feel free to contact me at (801) 977-4360.

Sincerely,

Michael Ford
Geologist

Enclosure

RECEIVED

MAY 03 2001

DIVISION OF
OIL, GAS AND MINING

LMC - 363841 - 845

5/045/057

APR 17 2001

SUGGESTED FORMAT FOR A NOTICE

1) Mining Claim Numbers: UMC 367177-367179

2) Mining Claim Name(s): Ultradent, 505 W. 10200 So.
South Jordan, Utah 84095

3) Claimant, Operator, Agent:

A. Claimant(s):

Name Harvey C Hatwin

Address 505 W. 10,200 So.

So. Jordan, Ut. 84095

Phone # 801-560-6206

B. Claimant(s):

Name Raymond Jensen

Address 324 E. Main #17

Grantsville Ut. 84029

Phone # 435-884-1267

4) Location and Access:

Brief description (including legal) of the location and existing or proposed access to the area of operation.

A. General Description of Location: No. End of dugway
Mountains in Tooele Co.

B. Legal Description: Section 1/4 NE and NW

Township: 10 S Range: 12 W Section(s): 5

Township: _____ Range: _____ Section(s): _____

C. Estimated total acreage of the area proposed for exploration or mining under this Notice: 2 acres

D. Estimated acreage per year to be disturbed by mining operation under this Notice: 1/2 acre

E. Access: Describe the existing or proposed access to the operation site: ONLY Existing Roads will Be Used
Which were used BY Previous Mining Explor-
ation Activities.

Proposed Grade: _____

New Road(s): Length _____ (ft) Width _____ (ft)

Length _____ (ft) Width _____ (ft)

- F. What type of stakes/flagging (color?) did you use so that our Specialists can find the site(s) proposed for surface disturbance (not the claim corners) in the field? 2 Ft. Stakes with Red Flagging

- G. Location Map: Attach a general location and vicinity map showing claim boundaries, UMC numbers in the correct areas, and existing and/or proposed access routes, holes, trenches, excavations, structures, wells, waste dumps, tailings disposal, and disturbed areas. A USGS 7.5 minute topographic map is preferred, but an accurate sketch map will do.

5) General Information

- A. Proposed starting date of operation: MAY 2, 2001
Estimated completion date of operation (unknown or lifetime do not provide a definable term of use: UNKNOWN - ORE DEPLETION POSSIBLY MAY 2-2021
- B. Operation will be (is): Continuous ✓ Seasonal _____
Intermittent _____
- Will you operate on weekends? _____ Weekdays? ✓
- During what months will you be operating? JAN. 1st - DEC. 31st

PUBLIC SAFETY

- C. What provisions will you make for Public Safety regarding open pits and trenches?
- Will you be using flagging? _____ Barricades? Chains
- How long will the pits/trenches remain open? ANNUALLY
- Will you be backfilling as you go? SOME - WHEN IT MAKE SENSE TO.
- AREA IS IN VERY REMOTE SITE.

D. Equipment, Personnel, and Supporting Facilities.

Equipment: List all equipment to be utilized in connection with the proposed activity, e.g.: mining, road maintenance, hauling, etc. Tractor, Loader, Backhoe Pickup Truck, 2 Trailers and Generator.

Will explosives be used? Yes Will explosives be stored on site? Yes

Personnel: How many people will be working at the site? 2-3

How many caretakers, or people will be living at the site? 2-3

Supporting Facilities: Describe any proposed or existing structures, sanitary facilities or secured areas, and justify the reasons for continued maintenance and/or construction of these facilities: SHADE PORCH IN FRONT OF TRAILER. WE PROPOSE TO PUT A TRAILER AT THE END OF A DEAD END ROAD & PLACE A CHAIN AT A "TURN AROUND" SPOT - TO PROTECT OUR EQUIPMENT.

6) Proposed Exploration (if applicable):

Dimensions of proposed holes, trenches, or excavations (Specify type): The Proposed Mining Sites Has Been Previously Disturbed and will be Mining a Previously Exposed ore Body. will just follow the veins of Fluoride

7) Proposed Production (if applicable):

A. Estimated size of operation:

Under 500 tons/cu yds per year X - 10-20 TONS PER YEAR
500- 5,000 tons/cu yds per year _____
5,000-50,000 tons/cu yds per year _____
50,000-100,000 tons/cu yds per year _____
100,000-250,000 tons/cu yds per year _____
250,000-1,000,000 tons/cu yds per year _____
Over 1,000,000 tons/cu yds per year _____

THIS IS PROJECTED TO BE A VERY SMALL OPERATION.

B. Total Anticipated Production (for life of operation):

Quantity of ore to be removed (tons/cu yds) 1000 TONS
Waste Retained on Site (tons/cu yds) 2000 - 5000 TONS
Waste Disposed of, off site (tons/cu yds) 50-100
Maximum anticipated dimensions of pit area 30' X 300'
Number of linear feet of underground workings N/A

C. Mining Method: (Check all that apply)

Underground	<input type="checkbox"/>	Gravel/Sand Pit	<input type="checkbox"/>	Truck to Plant	<input checked="" type="checkbox"/>
Openpit	<input checked="" type="checkbox"/>	Clay Pit	<input type="checkbox"/>	BorrowPit	<input type="checkbox"/>
SingleBench	<input type="checkbox"/>	Drill & Blast	<input type="checkbox"/>	Tailing Pond	<input type="checkbox"/>
SlurryPump	<input type="checkbox"/>	WasteDump	<input type="checkbox"/>	Railline	<input type="checkbox"/>
Other	<input type="text"/>				

Quarry:

Hilltop	<input type="checkbox"/>	Shovel	<input type="checkbox"/>
Multibench	<input type="checkbox"/>	Gravel Bar Skimming	<input type="checkbox"/>
Sidehill	<input type="checkbox"/>	Dragline	<input type="checkbox"/>
Low level	<input type="checkbox"/>	Other	<input type="text"/>

D. Processing:

If processing of the ore or minerals mined is planned to be conducted on-site or adjacent to the extraction area, briefly describe the nature of the processing, and explain the disposal method for tailings or waste from the processing (Use additional space if necessary). A flow chart or schematic diagram of the processing procedure may be attached

THE FLUORITE WILL BE HAND COBBED ON-SITE.
THE FLUORITE THE PURE HAND SELECTED ORE
WILL BE TRANSPORTED OFF SITE FOR CRUSHING
& DIRECT USE. THE AMOUNT OF OFFSITE WASTE
ROCK WILL BE MINIMAL. THE ON-SITE
WASTE ROCK WILL BE PILED ADJACENT THE
FLUORIDE VEIN. THIS OVERBURDEN PILE WILL BE
USED TO FILL IN THE OPEN PIT AFTER THE FLUORITE
HAS BEEN EXTRACTED. WE WILL ATTEMPT TO BACK FILL
WHEN NEEDED.

E. Toxic Substances

Do you plan to use cyanide, aqua regia, mercury, or other toxic materials in your operation? NO If yes, please attach a copy of the appropriate Waste Discharge Permit or waiver.

Please specify the quantity and type of chemicals to be used on site: NONE

Please specify the quantity and type of chemicals to be stored on site: NONE

F. Water

Estimate the quantity (gpd) of water required by the mining and processing operation. Specify the proposed source of this water, the method of transport to the property, and the quantity and method of disposal of used and/or surplus water:

THE MINING OPERATION WILL REQUIRE NO WATER.

THE ORE WILL BE HAND COBBED & SHEPPED FOR DIRECT USE.

8. Reclamation Plan and Proposal Measures to Prevent Undue and Unnecessary Degradation:

You are encouraged, but not required to describe the methods, including the sequence and timing, that will be used to complete the final reclamation of the land disturbed in your proposed mining operations. Diagrams may be used.

Operator/Claimant Signature Raymond Jensen Date 4-6-01

Rev. 11/92

ALREADY

THE MINING AREA IN QUESTION HAS^A BEEN DISTURBED SOME TIME IN THE PAST. WE WILL NOT BE CREATING ANY NEW ROADS. THEREFORE, WE FEEL OUR RECLAMATION SHOULD BE MINIMAL. THE EXTENT OF OUR RECLAMATION SHOULD BE TO BACK FILL THE PIT WE CREATE.

BLM Casefile # _____

Project Name: _____

Reclamation Cost Estimation Summary Sheet¹
Plan Level Operations

APR 17 2001

Enter only those values in the cost estimate that are appropriate to this particular project. This summary sheet is to be accompanied by a worksheet describing how each itemized cost estimation was calculated.

A. Earthwork/Recontouring

	<u>Manpower(\$)²</u>	<u>Equipment(\$)</u>	<u>Materials(\$)</u>	<u>Total</u>
1. Roads	\$ _____	\$ _____	\$ _____	\$ _____
2. Drill Site(s)	\$ _____	\$ _____	\$ _____	\$ _____
3. Drill Hole Abandonment	\$ _____	\$ _____	\$ _____	\$ _____
4. Pits/Adits/Trenches	\$ <u>500.00</u>	\$ <u>500.00</u>	\$ _____	\$ _____
5. Process Ponds	\$ _____	\$ _____	\$ _____	\$ _____
6. Heaps	\$ _____	\$ _____	\$ _____	\$ _____
7. Dumps (waste + landfills)	\$ _____	\$ _____	\$ _____	\$ _____
8. Tailings	\$ _____	\$ _____	\$ _____	\$ _____
9. Structure & Building Areas	\$ _____	\$ _____	\$ _____	\$ _____
10. Storage & Equipment Areas	\$ <u>50.00</u>	\$ <u>50.00</u>	\$ _____	\$ _____
11. Drainage Control Plan	\$ _____	\$ _____	\$ _____	\$ _____
12. Mobilization / Demobilization	\$ _____	\$ _____	\$ _____	\$ _____
13. Miscellaneous ³	\$ _____	\$ _____	\$ _____	\$ _____
14. Storage of topsoil	\$ <u>100.00</u>	\$ <u>100.00</u>	\$ _____	\$ _____
15. Seed Costs	\$ _____	\$ _____	\$ _____	\$ _____
Subtotal	\$ <u>650.00</u>	\$ <u>650.00</u>	\$ _____	\$ _____

B. Revegetation/Stabilization

	<u>Manpower(\$)²</u>	<u>Equipment(\$)</u>	<u>Materials(\$)</u>	<u>Total</u>
1. Roads	\$ _____	\$ _____	\$ _____	\$ _____
2. Drill Site(s)	\$ _____	\$ _____	\$ _____	\$ _____
3. Pits/Adits/Trenches	\$ _____	\$ _____	\$ _____	\$ _____
4. Process Ponds	\$ _____	\$ _____	\$ _____	\$ _____
5. Heaps	\$ _____	\$ _____	\$ _____	\$ _____
6. Dumps (waste + landfills)	\$ _____	\$ _____	\$ _____	\$ _____
7. Tailings	\$ _____	\$ _____	\$ _____	\$ _____
8. Structure & Building Areas	\$ _____	\$ _____	\$ _____	\$ _____
9. Storage & Equipment Areas	\$ <u>50.00</u>	\$ _____	\$ _____	\$ _____
10. Drainage Control Plan	\$ _____	\$ _____	\$ _____	\$ _____
11. Monitoring	\$ _____	\$ _____	\$ _____	\$ _____
12. Miscellaneous ³	\$ _____	\$ _____	\$ _____	\$ _____
13. Respreading topsoil stockpiles	\$ <u>100.00</u>	\$ <u>150.00</u>	\$ _____	\$ _____
14. Seed Costs	\$ <u>100.00</u>	\$ _____	\$ <u>100.00</u>	\$ _____
Subtotal	\$ <u>250.00</u>	\$ <u>150.00</u>	\$ <u>100.00</u>	\$ _____

C. Detoxification/Disposal of Wastes

	<u>Manpower(\$)²</u>	<u>Equipment(\$)</u>	<u>Materials(\$)</u>	<u>Total</u>
1. Process Ponds	\$ _____	\$ _____	\$ _____	\$ _____
2. Heaps	\$ _____	\$ _____	\$ _____	\$ _____
3. Dumps (waste + landfills)	\$ _____	\$ _____	\$ _____	\$ _____
4. Tailings	\$ _____	\$ _____	\$ _____	\$ _____
5. Drainage Control Plan	\$ _____	\$ _____	\$ _____	\$ _____
6. Monitoring	\$ _____	\$ _____	\$ _____	\$ _____
7. Miscellaneous ³	\$ _____	\$ _____	\$ _____	\$ _____
Subtotal	\$ _____	\$ _____	\$ _____	\$ _____


	<u>Manpower(\$)²</u>	<u>Equipment(\$)</u>	<u>Materials(\$)</u>	<u>Total</u>
--	---------------------------------	----------------------	----------------------	--------------

D.	<u>Structures, Equipment, and Facilities Removal</u>	\$ <u>100.00</u>	\$ <u>100.00</u>	\$ <u> </u>	\$ <u>200.00</u>
----	---	------------------	------------------	------------------	------------------

E.	<u>Contract Administration⁴</u>	\$ <u> </u>			
----	---	------------------	--	--	--

F. **Other Costs**

If the quoted hourly rates contained FICA, SIRS, Davis-Bacon wage rates, insurance bond premiums, and profit, the operator may sign this statement under penalty of 18 USC 1001 that the following rates contain these items and that itemization of these costs are therefore not necessary:

	<u>4-6-01</u>
Signature	Date

1.	Insurance (On site liability) ⁵	\$ <u> </u>
2.	Bond (Performance & Payment) ⁶	\$ <u> </u>
3.	Profit ⁷	\$ <u> </u>

Total	\$ <u> </u>
-------	------------------

G.	<u>Grand Total</u>	\$ <u> </u>
----	---------------------------	--------------------------------

¹ All reclamation costs are to be calculated as third party contracts (the agency will put the reclamation contract out to bid in the event of operator default).

² For Federal construction contracts, Davis-Bacon wage rates are required. Wage rates must also contain FICA, SIRS, and other required coverage and benefits covering the workforce.

³ Miscellaneous items should be itemized on your accompanying worksheets.


⁴ For Federal construction contracts, use 18% of project costs for cost estimates up to \$1,000,000. Use 10% of project costs for cost estimates of \$1,000,000 and above.

⁵ Insurance premium is calculated at 1.5% of the total labor costs. Enter the premium amount only on this line


⁶ Federal construction contracts over \$25,000 require both a performance and a payment bond (Miller Act, 40 USC 270 et seq.). Each bond premium is figured at 1.5% of total project costs. Enter the sum of both premium costs on this line.

⁷ For Federal construction contracts, use 10% of project costs.


The source of the equipment cost estimate is (ie. Cat Handbook, contractor estimate, etc.):



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



DUGWAY RANGE NW, UTAH 7 1/2' QUADRANGLE



SCALE: 1" = 2000'


ULTRADENT
505 WEST 10200 SOUTH
SOUTH JORDAN, UTAH 84095

LODE CLAIMS O.C. 6-8
TOOELE COUNTY, UTAH
SECTION 5, T 10 S, R 12 W, S.L.B.M.


LOCATED: JANUARY 29, 2000

PREPARED BY: North American Exploration
472 NORTH MAIN
KANSASVILLE, MO 64027

APR 17 2001
APR 17 2001



DUGWAY RANGE NW, UTAH 7 1/2' QUADRANGLE



0 2000'
SCALE 1"=2000'

APR 17 2001

ULTRADENT
505 WEST 10200 SOUTH
SOUTH JORDON, UTAH 84095

LODE CLAIMS O.C. 1-5
TOOELE COUNTY, UTAH
PROJECTED SECTIONS: 32 T 9 S, R 12 W S.L.B.M.
5 T 10 S, R 12 W S.L.B.M.

LOCATED: OCTOBER 27, 1997

PREPARED BY: NORTH AMERICAN EXPLORATION, INC.
497 NORTH MAIN
KAYSVILLE, UTAH 84037

From: Peter Allred
To: Harvey Chatwin; Steve Jensen
Date: 4/6/01 7:07PM
Subject: Re: Requested numbers

>>> Sharon Leigh 04/06/01 03:46PM >>>

UMC #'S:

363841

363842

363843

363844

363845

367177

367178

367179

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIPT AND ACCOUNTING ADVICE

NO. 2384092

Subject

NOL O.C. 1 ET AL

Applicant

ULTRADENT
505 WEST 10200 SOUTH
SOUTH JORDAN, UT 84075

LI/UT 11/12/97 0 4 2 50.00
0 5 625.00

Remitter

NORTH AMERICAN EXPLOATION, INC.
472 NORTH MAIN
KAYSVILLE, UT 84037

Assignor

SERIAL NO.

UMC 363841

UMC 363845

REFER TO THE ABOVE CASE SERIAL NUMBER IN ALL CORRESPONDENCE. PLEASE INFORM THIS OFFICE OF A CHANGE IN ADDRESS.

NOTE: This notice is a receipt for monies paid the United States. If these monies are for required fees in connection with y application to lease, purchase, enter, or otherwise acquire an interest in public lands or resources, this receipt is not an authentication to utilize the land applied for and it does not convey any right, title, or interest in the land for which application is made.

SERIAL NUMBER

UMC363841-845

CLAIM NAME

O.C. 1-5

E . 2715 B 0477 P 0422
DATE 31-OCT-1997 11:07AM
FEE: 12.00 CHECK
DONNA S. MCKENDRICK, RECORDER
FILED BY NAM
FOR ULTRADENT
TOOELE COUNTY CORPORATION

UTAH STATE OFFICE
RECEIVED
AUG 11 1997

97 NOV 12 AM 10:20

DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 1 Lode Mining Claim on the 27 day of October, 1997, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lodes, ledges, deposits and surface ground within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NE Corner of this claim is located approximately 2100 feet South and 7550 feet East from the SE cor. sec. 36 T9S, R13W S.L.B.M.

This claim is located all or in part of the following projected quarter section(s):

NW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

SW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

 1/4, Section , T. S., R. 12 W., S.L.B.M.

 1/4, Section , T. S., R. 12 W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 20 feet in a East direction and 1480 feet in a West direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is East-West.

Ultradent

Locator

By: Steve Ranson
Agent

8

UTAH DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
97 NOV 12 AM 10:20

E 102716 B 0477 P 0424
DATE 31-OCT-1997 11:09AM
FEE: 10.00 CHECK
DONNA S. MCKENDRICK, RECORDER
FILED BY NAM
FOR ULTRADENT
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 2 Lode Mining Claim on the 27 day of October, 1997, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lodes, ledges, deposits and surface ground within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NE Corner of this claim is located approximately 1500 feet South and 7550 feet east from the SE cor. sec. 36 T9S, R13W S.L.B.M.

This claim is located all or in part of the following projected quarter section(s):

NW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 20 feet in a east direction and 1480 feet in a west direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is east-west.

Ultradent

Locator

By: Steve Ranson
Agent

UTAH STATE OFFICE
RECEIVED
NOV 12 1997

97 NOV 12 AM 10:20

DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT

E 102717 B 0477 P 0425
DATE 31-OCT-1997 11:09AM
FEE: 10.00 CHECK
DONNA S. MCKENDRICK, RECORDER
FILED BY NAM
FOR ULTRADENT
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 3 Lode Mining Claim on the 27 day of October, 1997, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lodes, ledges, deposits and surface ground within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NE Corner of this claim is located approximately 900 feet South and 7550 feet East from the SE cor. sec. 36 T9S, R13W S.L.B.M.

This claim is located all or in part of the following projected quarter section(s):

NW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

____ 1/4, Section _____, T. _____ S., R. 12 W., S.L.B.M.

____ 1/4, Section _____, T. _____ S., R. 12 W., S.L.B.M.

____ 1/4, Section _____, T. _____ S., R. 12 W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 20 feet in a East direction and 1480 feet in a West direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is East-West.

Ultradent

Locator

By: Steve Ranson

, Agent

UTAH DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
97 NOV 12 AM 10:20

E 102718 B 0477 P 0426
DATE 31-OCT-1997 11:09AM
FEE: 10.00 CHECK
DONNA S. MCKENDRICK, RECORDER
FILED BY NAM
FOR ULTRADENT
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 4 Lode Mining Claim on the 27 day of October, 1997, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lodes, ledges, deposits and surface ground within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NE Corner of this claim is located approximately 300 feet South and 7550 feet east from the SE cor. sec. 36 T9S. R13W S.L.B.M.

This claim is located all or in part of the following projected quarter section(s):

NW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

___ 1/4, Section ___, T. ___ S., R. 12 W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 20 feet in a east direction and 1480 feet in a west direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is east-west.

Ultradent

Locator

By: Steve Ranson
Agent

DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

E 102719 B 0477 P 0427
DATE 31-OCT-1997 11:10AM
FEE: 10.00 CHECK
DONNA S. MCKENDRICK, RECORDER
FILED BY NAM
FOR ULTRADENT
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

**NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE**

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 5 Lode Mining Claim on the 27 day of October, 1997, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lodes, ledges, deposits and surface ground within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NE Corner of this claim is located approximately 300 feet north and 7550 feet east from the SE cor. sec. 36 T9S, R13W S.L.B.M.

This claim is located all or in part of the following projected quarter section(s):

SW 1/4, Section 32, T. 9 S., R. 12 W., S.L.B.M.

NW 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.

____ 1/4, Section _____, T. _____ S., R. 12 W., S.L.B.M.

____ 1/4, Section _____, T. _____ S., R. 12 W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 20 feet in a east direction and 1480 feet in a west direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is east-west.

Ultradent

Locator

By: Steve Ranson
Agent

E 143748 B 0609 P 0629
Date 11-FEB-2000 11:16am
Fee: 10.00 Check
CALLEN B. PESHELL, Recorder
Filed By RGL
For NORTH AMERICAN EXPLORATION
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 6 Lode Mining Claim on the 29th day of January, 2000, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lode, ledges, deposits and surface found within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NW corner of this claim is located approximately 612 feet east from the S 1/4 corner monument, Sec 32, T 9 S, R 12 W, SLBM.

This claim is located all or in part of the following projected quarter section(s):

NE 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.
1/4, Section _____, T. _____ S., R. _____ W., S.L.B.M.
1/4, Section _____, T. _____ S., R. _____ W., S.L.B.M.
1/4, Section _____, T. _____ S., R. _____ W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 1480 feet in a south direction and 20 feet in a north direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is north-south.

Ultradent
Locator
By: Brian Vinton
Agent

E 143748 B 0609 P 0629

E 143749 B 0609 P 0631
Date 11-FEB-2000 11:17am
Fees: 10.00 Check
CALLEEN B. PESHELL, Recorder
Filed By RGL
For NORTH AMERICAN EXPLORATION
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

**NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE**

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 7 Lode Mining Claim on the 29th day of January, 2000, whose dimensions are 1500 feet by 366 feet. By this Declaration and such location, the above named locator(s) claim all veins, lode, ledges, deposits and surface found within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NW corner of this claim is located approximately 1212 feet east from the S 1/4 corner monument Sec 32, T 9 S, R 12 W, SLBM.

This claim is located all or in part of the following projected quarter section(s):

NE 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.
1/4, Section , T. S., R. W., S.L.B.M.
1/4, Section , T. S., R. W., S.L.B.M.
1/4, Section , T. S., R. W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 366 feet wide along the surface and claims 1480 feet in a south direction and 20 feet in a north direction from the point of discovery at which this Notice of Location is posted together with 183 feet on each side of the point of discovery. The general course of the vein or lode is north-south.

Ultradent

Locator
By: Brian Venter

Agent

E 143750 B 0609 P 0632
Date 11-FEB-2000 11:17am
Fee: 10.00 Check
CALLEEN B. PESHELL, Recorder
Filed By RGL
For NORTH AMERICAN EXPLORATION
TOOELE COUNTY CORPORATION

SPACE ABOVE THIS LINE FOR RECORDER'S USE

After Recording Return to:

Ultradent
505 West 10200 South
South Jordan, Utah 84095

**NOTICE OF LOCATION OF LODE MINING CLAIM
STATE OF UTAH, COUNTY OF TOOELE**

KNOW ALL MEN BY THESE PRESENTS, That the undersigned hereby certifies that

Ultradent
505 West 10200 South
South Jordan, Utah 84095

has located the O.C. 8 Lode Mining Claim on the 29th day of January, 2000, whose dimensions are 1500 feet by 600 feet. By this Declaration and such location, the above named locator(s) claim all veins, lode, ledges, deposits and surface found within the boundaries of said claim.

Said claim is a lode claim, it being situated in the above mentioned County and State, and it is distinctly marked on the ground so that its boundaries may be readily traced by four substantial posts or monuments.

To tie this claim to a Public Survey: The NW corner of this claim is located approximately 1500 feet south and 612 feet east from the S 1/4 corner monument, Sec 32, T 9 S, R 12 W, SLBM.

This claim is located all or in part of the following projected quarter section(s):

NE 1/4, Section 5, T. 10 S., R. 12 W., S.L.B.M.
____ 1/4, Section ____ T. ____ S., R. ____ W., S.L.B.M.
____ 1/4, Section ____ T. ____ S., R. ____ W., S.L.B.M.
____ 1/4, Section ____ T. ____ S., R. ____ W., S.L.B.M.

in the Tooele County, State of Utah.

Said claim is 1500 feet long by 600 feet wide along the surface and claims 1480 feet in a east direction and 20 feet in a west direction from the point of discovery at which this Notice of Location is posted together with 300 feet on each side of the point of discovery. The general course of the vein or lode is east-west.

Ultradent

Locator
By: Brian Venter

Agent